

Shri Dhaneshwari Manav Vikas Mandal's
**S.S.V.P. Homoeopathic Medical College
& Research Institute-Hatta**

(Recognised by Ayush Ministry-New Delhi, Govt. of
Maharashtra & Affiliated by Maharashtra University of Health Sciences, Nashik)

Dr. V.K. Patil
(President)



Dr. Md. Hilal Abdul Hameed
(Principal M.D. HOM)
Cell : 9970719120

O/w No. SDMVM/SSVP/HMC/Hatta

Date :



Part II – Hospital Details

UPLOAD Availability of area in sq.mt as per Bed Strength (UG/PG) & MSR

Sr. No	A-Hospital Details Infrastructure	Details on College Website	Remark
1	Name of Hospital:- SAU SHANTADEVI VEDPRAKASH PATIL HOMOEOPATHIC HOSPITAL & R.I. HATTA	Yes	
2	Registration details with Renewal :- Available	Yes	
3	Bed strength - ward distribution- As per MSR and Intake capacity	Yes	
4	Hospital Infrastructure as per schedule (IA) Administration block 100.57 Sq Mt OPD / IPD details (Refer Annexure – III A) Operation theatre unit 173 .24 Sq Mt Yoga / Physiotherapy rehabilitation unit 35.04 Sq Mt Central Clinical Laboratory 45.1 Sq Mt Radiology and Sonography Section Hospital kitchen 159.76Sq Mt Stores 40.08 Sq Mt	Yes	
5	Ambulance facility (own / MOU)	Available	
6	Dispensing Unit (Upload the details)	Available	
7	Hospital Equipment as per MSR- OPD / IPD Upload the details	Yes	
8	MOU with super specialty Hospital for clinical training of student and its functional Upload the details :- Available	Yes	
9	First Aid kit in OPD / IPD :- Available	Yes	
10	BMW Certificate :- Available	Yes	
11	MPCB Certificate:- Available	Yes	

PRINCIPAL
S.S.V.P. Homoeopathic
Hatta, R.I. Hatta
Tq. Basmath Dist. Hingoli

Address : Gut No.421, At. Hatta Tq. Basmath Dist. Hingoli - 431 705

Contact No.: 9970719120

web : www.ssvphmc.org ♦ Email ID : svphomeopathichatta@gmail.com



Z.P | HNLI Hospital Reg No | 01 | 2022

Health Department, Z.P

Z.P. Hingoli

Det: 22/08/2022

FORM 'C'

(See rule 5)

Certificate of Registration under section 3 of the Bombay Nursing Homes Registration Act, 1949

No.

This is certify that Shri/Smt. Dhameshwari..M.V.M.. has been registered under the Bombay Nursing Homes Registration Act, 1949, in respect

S.S.V.P. Homoeopathic Medical College & Research Institute situated at Hatta, TQ and (here insert the name of the Nursing Home.) Hatta (25 beds) Basmath has been authorized to carry on the said nursing home.

Registration No. 001
Date of Registration 31/10/2015
Place Hingoli
Date of issue of certificate 31 March 2022
This certificate of registration shall be valid upto 31st March 2024
(25 Beds)

(Here insert the name of Local Supervising Authority.)

Medical Officer
Hatta Phc
TQ. Basmath.

[Signature]
Signature of the registering authority.
District Health Officer
Zila Parishad, HINGOLI



[Signature]
PRINCIPAL
S.S.V.P. Homoeopathic
College & R.I. Hatta
Tq Basmath Dist Hingoli



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

ATUL ENVIRONMENT SERVICES
GUT NO. 240, DAWALWADI, TQ. BADNAPUR, DIST. JALNA
Dawalwadi - 431202
Phone No:9423149670
Email Id:atulenvironmentservices1@gmail.com



Unique Registration No.: HTFR0001



Registration Certificate



Outward No.: AES/23-24/000257

Date: 07-Sep-2023

This is to certify that S. S. V. P. HOMEOPATHIC COLLEGE & R. I., GAT NO 421, HATTA SHRI DHANESHWARI MANAV VIKAS MANDAL'S CAMPUS HATTA TQ. BASMAT DIST. HINGOLI-431705 is registered with ATUL ENVIRONMENT SERVICES, Dawalwadi for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.


1. Authorized Person of HCE (Name and Designation)	DR. MD. HILAL A.H DOCTOR
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	001
b. BNH Issue Date	31-Oct-2015
c. Total Number of Beds	25
d. BNH Validity(Form 'C')	31-Mar-2024
3. Common Treatment Facility Registration Details	
a. Date of Registration	01-May-2022
b. No. of Beds Registered	25
c. Registration Validity	06-Mar-2024
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	06-Mar-2024
b. No. of Beds Registered	25
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	SRO/UAN NO. 0000144462/CO/2209001334
b. Issue Date	20-Sep-2022
d. Validity up to	31-Jul-2024



For ATUL ENVIRONMENT SERVICES

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.





Shri Dhaneshwari Manav Vikas Mandal's
**S.S.V.P. Homoeopathic Medical College
& Research Institute-Hatta**

(Recognised by Ayush Ministry-New Delhi, Govt. of
Maharashtra & Affiliated by Maharashtra University of Health Sciences, Nashik)

Dr. V.K. Patil
(President)



Dr. Md. Hilal Abdul Hameed
(Principal M.D. HOM)
Cell : 9970719120


O/w No.: SDMVM/SSVP/HMC/Hatta

Date :

HOSPITAL EQUIPMENT

S. No.	Name of the articles	Required as per H (MSR) Regulations, 2013			Available for 25 number of beds
		For 25 beds	From 26 to 50 beds	From 51 to 100 beds	
1	Iron beds (Simple, Surgical & Pediatrics)	25	50	100	25
2	Stretcher with trolley	01 in each ward	01 in each ward	01 in each ward	03 in each ward
3	Sterilizers	02	02	02	04
4	B.P. Instrument	05	08	10	10
5	Urine pots, male and female	10	10	20	25
6	Bed pans E.I.	10	10	20	25
7	Tongue depressor (Disposable)	As required	As required	As required	As required
8	Suction Machine	01	01	02	04
9	Suction tube	As required	As required	As required	As required
10	Artery forceps, small and big	06 each	12 each	18 each	21 each
11	Back rest	02	04	06	03
12	Oxygen cylinder with stand	01 in each ward	01 in each ward	01 in each ward	04 in each ward
13	Dressing drums (big)	02	03	04	08
14	Diagnostic set (ENT)	01 in each ward	01 in each ward	01 in each ward	03 in each ward
15	Infra-red lamp	01	01	01	02
16	Chair trolley with wheels	02	02	02	02
17	Refrigerator	01	01	02	01
18	Weighing Machine	02	04	06	04




PRINCIPAL
S.S.V.P. Homoeopathic
College & R.I. Hatta
Tq Basmath Dist. Hingoli

Address : Gut No.421, At. Hatta Tq. Basmath Dist. Hingoli - 431 705

Contact No.: 9970719120

web : www.ssvphmc.org

✦ Email ID : svphomeopathichatta@gmail.com

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 02452 - 226687

Fax: -

Website: <http://mpcb.gov.in>

Email:

sroparbhani@mpcb.gov.in

Devkripa Building,
Rangnath Maharaj Nagar,
Nandkheda Road, Parbhani
- 431401

RED/S.S.I

Date: 20/09/2022

No:- Format1.0/SRO/UAN

No.0000144462/CO/2209001334

To,

S.S.V.P. HOMOEOPATHIC MEDICAL COLLEGE ,
HOSPITAL & RESEARCH INSTITUTE,
421,Gut No. 421, Hatta,
Tq. Basmat, Dist. Hingoli



Your Service is Our Duty

Sub: Consent to Operate for 25 Bedded Hospital

Ref: Your application for Combine Consent and Bio-Medical Authorization dated 23/07/2022

Combined Consent to Operate and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Combined Consent to Operate and BMW authorization is granted upto: 31.07.2024**
- The capital investment of the project is Rs.0.1853 Crs. (As per C.A Certificate submitted by industry).**
- The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	25	Nos
b)	Total Plot Area	5000.00	Sq.Mtrs
c)	Total Built up Area	2879.30	Sq.Mtrs

- Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	Nil	As per Schedule -I	NA
2.	Domestic effluent	1.2	As per Schedule - I	Soaked in soak pit

- Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	00	1	As per Schedule -II

- Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**



Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	0	0	--NA--	NA	NA

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDf:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	14.00	Yellow colored non-chlorinated plastic bags or containers	CBMWTSTF
		b) Soiled Waste	22.50		
		c) Expired or Discarded Medicines	10.00		
2	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDf

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

- HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
- HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
- HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
- Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
- In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
- HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:



- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.



9e1b1439
9b42b482
2146b81b
e720da8e
74fcf326
f5a9f17c
d42a1995
fa7847c3

Signed by: S. R. Kulkarni
Sub Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
sroparbhani@mpcb.gov.in
2022-09-20 17:31:34 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1500.00	TXN2207002644	23/07/2022	Online Payment
2	1500.00	TXN2209002249	20/09/2022	Online Payment
3	6250.00	TXN2207002645	23/07/2022	Online Payment

0

Copy to:

1. Regional Officer, MPCB, Aurangabad for information.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Generation - Nil
B] Treatment - NA
C] Disposal - NA
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 1.2 CMD of sewage.
B] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
00	00 00	00	00	00	00 --NA--	0.00	0.00

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25000
1B	Records		
1	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.



14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.



INDIA
of Serial Number 1111/2016




महाराष्ट्र MAHARASHTRA 23/01/2016

MW 664192

S.R. SARDESHPANDE
Same vendor L No. 3201
Jahil Office Parbhani

District Treasury Office
Parbhani
25 JAN 2016
STAMP HEAD CLERK



Memorandum of understanding (MOU)

This is to certify the memorandum of understanding as Shree Sai Hospital and Criticare Centre at Parbhani, Tq and dist. Parbhani is providing exposer to the student of SSVP homeopathic college and Research institute, hatta, tq. Basmath, Dist. Hingoli.

Thus the patients / surgical procedure/ gynecological/ medicine or exposed for practical study for the said institute.

MOU OF

1. Shree Sai Hospital and Criticare Centre Tq and dist. Parbhani
2. SSVP Homeopathic College and R.I. Hatta, Tq. Basmath, Dist. Hingoli.



ATTESTED

Seal & sign: *[Signature]*
PRINCIPAL
Date: _____
Place: Hatta, Tq. Basmath Dist. Hingoli

Seal & sign: *[Signature]*
Date: _____
Place: _____
VILAS A. DECHPANDE
NOTARY, GOVT OF INDIA

[Signature]
PRINCIPAL
S.S.V.P. Homeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli

[Signature]
Dr. R. G. Pawas
MB.B.S., MD (Gen. Med.)
Regd. No. 89858
EXECUTANT



PRINCIPAL
S.S.V.P. Homeopathic Medical College
& R.I. Hatta, Tq. Basmath, Dist. Hingoli

[Signature]
PRINCIPAL
S.S.V.P. Homeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli

अनुसूची 4 / Annexure - 4

राज्यीय शिक्षण प्रशासनाच्या कार्यालयाने प्रकाशित केलेल्या

Only Form available 29799

२०१०/२०११

स.स.व.प. होम्योपॅथिक कॉलेज

S.S.V.P. Homoeopathic

College & R.I. Hatta

ATTESTED

[Signature]

PRINCIPAL

S.S.V.P. Homoeopathic Medical College & R.I. Hatta, Tq. Basmath Dist. Hingoli.



[Signature]

PRINCIPAL

S.S.V.P. Homoeopathic College & R.I. Hatta Tq. Basmath Dist. Hingoli



[Faint handwritten text]

[Signature]

PRINCIPAL

S.S.V.P. Homoeopathic College & R.I. Hatta Tq. Basmath Dist Hingoli

PRINCIPAL
S.S.V.P. Homoeopathic College & R.I. Hatta Tq. Basmath Dist Hingoli



MAHARASHTRA MEDICAL COUNCIL, MUMBAI

HOTEL REGAL PALACE BUILDING,
OPP. ROXY CINEMA, MUMBAI-400 004.



CERTIFICATE OF REGISTRATION

Registration No. 89858



This is to certify that the within -

Signed

[Signature]

Doctor Shri / Shrimati

Kumar


PAWAR RAJESH GANGADHAR

possessing the qualifications of M.B.B.S. (DR. BABASAHEB AMBEDKAR MARATHI ADA), 1999;

has been duly registered under the Maharashtra Medical Council Act, 1965 (Mah. XLVI of 1965), in Part I of the register.

In witness whereof are herewith affixed the seal of the Maharashtra Medical Council, Mumbai and the signature of the Registrar.

Dated the 26TH FEBRUARY 1999.



[Signature]
Registrar.

[Signature]
Dr. R. G. Pawar
M.B.B.S., M.D. (Gen. Med.)
Regd No. 89858

PRINCIPAL
S.S.V.P. Homoeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli

ATTESTED



[Signature]
PRINCIPAL
S.S.V.P. Homoeopathic
College & R.I. Hatta
Tq. Basmath Dist Hingoli

SVP/

[Signature]
PRINCIPAL
S.S.V.P. Homoeopathic Medical College
& R.I. Hatta, Tq. Basmath Dist. Hingoli

Swami Ramanand Teerth Marathwada University, Nanded



We the Chancellor, the Vice-Chancellor, Members of the Management Council and the Academic Council of the Swami Ramanand Teerth Marathwada University, certify that

Dr. Rajesh Gangadhar
Government Medical College, Nanded
have been examined and found duly qualified for the degree of
Doctor of Medicine
Medicine

in June 2003

the said degree has been conferred on him/her. In testimony whereof is set the seal of the said University.

स्वामी रामानंद तीर्थ मराठवाडा विद्यापीठ, नांदेड

आम्ही, स्वामी रामानंद तीर्थ मराठवाडा विद्यापीठाचे कुलपती, कुलगुरू, व्यवस्थापन परिषद आणि विद्या परिषद सदस्य, प्रमाणित करितो की,
पदवी राजेश गंगाधर

शासकीय वैद्यकीय महाविद्यालय, नांदेड.

हे / ह्या
येथून

आयुर्विज्ञान पारंगत
औषधवैद्यकशास्त्र

परीक्षा जून २००३

उत्तीर्ण झाल्याबद्दल त्यांना ही पदवी प्रदान करण्यात येत आहे. याची साक्ष म्हणून विद्यापीठाची अधिकृत मुद्रा येथे अंकित करण्यात येत आहे.

ATTESTED

Dr. R. G. Pawar

M.B.B.S., M.D. (Gen. Med.)

Date: 2nd June, 2006

Principal

PRINCIPAL

S.S.V.P. Homoeopathic Medical College & R.I. Hatta, Tq. Basmath Dist. Hingoli, Vice-Chancellor

Principal

PRINCIPAL
S.S.V.P. Homoeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli

Principal

PRINCIPAL
S.S.V.P. Homoeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli



Serial Number 1121/2016



महाराष्ट्र MAHARASHTRA 29982 11/21/2016

664195

S.N.SARDESHPANDE
Stamp venter L.No.3201000
Tahsil Office Parbhani

District Treasury Office
Parbhani
25 JAN 2016
STAMP HEAD CLERK

Memorandum of understanding (MOU)

This is to certify the memorandum of understanding between Shree Swati multispecialty Hospital at parbhani, Tq and dist. Parbhani is providing exposures to the student of SSVP homeopathic college and Research Institute, hatta, Tq Basmat, Dist, Hingoli.

Thus the patients /surgical procedure gynecological/ medicine or exposed for practical study for the said institute.

MOU OF

- Shree Swati multispecialty Hospital at parbhani, Tq and dist. Parbhani
- SSVP Homeopathic College and R.I. Hatta, Tq, Basmath, Dist Hingoli



ATTESTED

Swati Criticare
SWATI CRITICARE
I.C.U. & Accident Hospital
Shivaji Nagar, Parbhani

[Signature]
PRINCIPAL EXECUTANT,

S.S.V.P. Homeopathic Medical College
& R.I. Hatta, Tq. Basmath Dist. Hingoli

BEFORE ME
[Signature]
VILAS A. DESHPANDE
NOTARY, GOVT. OF INDIA
PARBHANI

IDENTIFIED

[Signature]
PRINCIPAL
S.S.V.P. Homeopathic
College & R.I. Hatta
Tq Basmath Dist. Hingoli

[Signature]
PRINCIPAL
S.S.V.P. Homeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli



GOVT. OF MAHARASHTRA



Public Health Department

सन १९४९ च्या दि. बॉम्बे नर्सिंग होम रजिस्ट्रेशन अक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन सर्टिफिकेट
Certificate of Registration under Section 5 of Bombay the Nursing Home
Registration Act. 1949

क्रमांक No.: ९७

(नियम ५ अन्वये) (Under Rule 5)

श्री बाबा नर्सिंग होम रजिस्ट्रेशन अक्ट, १९४९ अन्वये श्री/श्रीमती डा. सुरजीधर अनंतराव सांगळे
(एम.बी.बी.एस. एम.डी. (मेडिसिन)) यांचे स्वाति क्रीटी करु हॉस्पिटल १८८
बेधोल नर्सिंग होम / नॅटनिटी होम रजिस्ट्रर केले असून सदरचे नर्सिंग होम व नॅटनिटी होम धालविण्यास
परवाना देण्यात येत आहे.

This is to Certify that Shri / Shrimati DR. MURTI DHAR ANANTRAO SANGLE
M.B.B.S. mn (Medicine) Has been registered under the Bombay
Nursing Homes Registration Act, 1949 in respect of Swati Cruti Care ICU
And Accident Hospital Situated at Basmath Road PARBHANI
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. ९७
Registration No.

प्रसूतीसाठी
Maternity

गोदर
Cots

रजिस्ट्रेशन दि. 27-07-2017
Date Registration
PCMC/BNHR/97/17
ठिकाण Place: PARBHANI

इतर रुग्णांसाठी 50
Other Nursing Patient

गोदर
Cots

सर्टिफिकेट दिल्याचा दिनांक Date of Issue of Certificate:

सदरचे सर्टिफिकेट ३१ मार्च 2023 पर्यंत कार्यवाहीत राहाल.
This Certificate shall be valid up to 31st March 2023



PRINCIPAL

MOH

ATTESTED

S.S.V.P. Homoeopathic Medical College & R.J. Natta, Tq. Basmath, Dist. Hingoli.

PRINCIPAL
S.S.V.P. Homoeopathic
College & R.J. Natta
Tq. Basmath Dist. Hingoli

Serial Number 4120/2016



महाराष्ट्र MAHARASHTRA

27/01/2015

34193

S.N.SARDESHPANE
Stamp No. L No.3207
Tahsil Office, Parbhani

District Treasury Office
Parbhani
25 JAN 2016
STAMP HEAD CLERK



Memorandum of understanding (MOU)

This is to certify the memorandum of understanding as Shree Siddhivinayak Bal Rughalay and Cretical Center back Chirayu Hospital at parbhani, Tq and dist. Parbhani is providing exposers to the student of SSVP homeopathic college and Research Institute, hatta, Tq Basmat, Dist, Hingoli.

Thus the patients /surgical procedure gynecological/ medicine or exposed for pratical study for the said institute.

MOU OF

1. Shree Siddhivinayak Bal Rughalay and Cretical Center back Chirayu Hospital at parbhani, Tq and dist. Parbhani
2. SSVP Homeopathic College and R.I. Hatta, Tq, Basmath, Dist Hingoli



S.S.V.P. Homeopathic Medical College
Hatta, Tq Basmath Dist. Hingoli.

BEFORE ME ATTESTED

IDENTIFIED

VILAS A. DESHPANDE
LOTARY, GOVT. OF INDIA
PARBHANI

श्री सिद्धविनायक बाल रुग्णालय
चिरायु हॉस्पिटलच्या प्राथमिक
न्यु डॉ. लेन, बस स्टॅण्ड रोड, परभणी
EXECUTANT

PRINCIPAL
S.S.V.P. Homeopathic
College & R.I. Hatta
Tq Basmath Dist Hingoli

Scanned with CamScanner
PRINCIPAL
S.S.V.P. Homeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli

GOVT OF MAHARASHTRA



Public Health Department

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन सर्टिफिकेट
Certificate of Registration under Section 5 of Bombay the Nursing Home
Registration Act. 1949
(नियम ५ अन्वये) (Under Rule 5)

क्रमांक No. : 40

दि बॉम्बे नर्सिंग होम रजिस्ट्रेशन अॅक्ट, १९४९ अन्वये श्री/श्रीमती डॉ. विक्रम विलास राव
एम.बी.बी.एस. डी.ओ. एच. यांचे सिद्धी विनायक बांधकाम
येथील नर्सिंग होम / मॅटनिटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटनिटी होम चालविण्यास
परवाना देण्यात येत आहे.

This is to Certify that Shri / Shrimati Dr. Vikram Vilas Rao
M.B.B.S. D.O.H. Has been registered under the Bombay
Nursing Home's Registration Act, 1949 in respect of Siddhi Vinayak
Rajmalaya, Critical Care Situated at Near Bus Stand
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. 40	प्रसूतीसाठी	NIC	कॉट्स
Registration No. 40	Maternity		Cots
रजिस्ट्रेशन दि. 9-10-15	इतर रुग्णांसाठी	50	कॉट्स
Date Registration .	Other Nursing Patient		Cots

ठिकाण Place : PCMC/BNHR/40/15

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate : 9-10-2019

सदरचे सर्टिफिकेट ३१ मार्च 29-4-2020 पर्यंत कार्यवाहीत राहील.

this Certificate Shall be valid up to 31st March 29-4-2020

श्री सिद्धी विनायक बांधकाम कर्जासाठी
व इन्स्टीट्यूट के आर सेंटर

विराग हांसीटलच्या माध्यमातून, Parbhani City Municipal Corporation, Parbhani

ATTESTED

PRINCIPAL
S.S.V.P. Homoeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli

PRINCIPAL
S.S.V.P. Homoeopathic Medical College
& R.I. Hatta, Tq. Basmath Dist. Hingoli

PRINCIPAL
S.S.V.P. Homoeopathic
College & R.I. Hatta
Tq. Basmath Dist. Hingoli

Scanned with CamScanner